

Series 8, Built-In Fully Automatic Coffee Machine, Stainless steel, Removable water tank CTL636ES1



9 x assembly screws, 1 x scoop, 1 x test strip, 1 x milk container (insulated), 1 x connection hose for milk frother, 1 x milk pipe

TCZ7003	Accessories small appliances
TCZ8001A	Cleaning tablets
TCZ8002A	Descaling tablets
TCZ8004A	Care set espresso
TCZ8009N	insulated milk container
Y988081012:	
Y988081300:	
Y988081302:	
Y988081303:	

The built-in coffee center with OneTouch Function: offers great variety and highest comfort.

- Intelligent Heater inside: Perfect brewing temperature and full aroma with the SensoFlow System
- **OneTouch DoubleCup**: Your choice of espresso or milk drinks with a click even two cups at once.
- **MyCoffee**: Save 8 favourite beverages with all their settings under personal names
- AutoMilk Clean: Automatic steam cleaning after every beverage for a properly cleaned milk system.
- AromaDouble Shot: Extra-strong coffee with less bitterness thanks to two grinding and brewing processes

Built-in / Free-standing:Built-i	n
Frothing nozzle:N	0
Display: N	o
Water protection system:n	o
Portion sizes:All cup	s
Dimensions:	n
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mr	n
Min. required niche size for installation (HxWxD):449 x 558 x 356	3
mm	
Hot water spout:N	o
Standby function:Ye	s
Simultaneous preparation of 2 cups:Ye	s
Included accessories: 9 x assembly screws, 1 x scoop, 1 x test strip	,
1 x milk container (insulated), 1 x connection hose for milk frother,	
1 x milk pipe	
Optional accessories:TCZ7003, TCZ8001A, TCZ8002A, TCZ8004A	,
TCZ8009N, Y988081012, Y988081300, Y988081302, Y988081303	
Fuse protection:10	A
Voltage:	۷
Frequency:50/60 H	
Plug type: Gardy plug w/ earthin	_
Product group:Built-in coffee machine	
Product name/family:Built-in coffee machine	
Product name / Commercial code: CTL636ES	
Typology: Fully automati	
Length electrical supply cord:170.0 cr	m
Maximum height for installation:	
	n
Dimensions:	n n
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mr	m m m
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mr Net weight:44.000 lb	m m n s
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mr Net weight:	n n s
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mr Net weight:	n n s g
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mr Net weight:	n n s g s
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mr Net weight:	n n s g





Series 8, Built-In Fully Automatic Coffee Machine, Stainless steel, Removable water tank CTL636ES1

The built-in coffee center with OneTouch Function: offers great variety and highest comfort.

Flavour

- Innovative heating system SensoFlow System: The innovative heating system guarantees maximum espresso indulgence every time, thanks to its ideal, constant brewing temperature
- One-touch preparation: Ristretto, Espresso, Espresso macchiato, Coffee, Cappuccino, Latte macchiato, Caffé Latte at the touch of a button
- AromaDouble Shot Extra strong coffee without compromise in aroma: Extra-strong coffee with less bitterness thanks to two grinding and brewing processes
- Beverage temperature adjustable individually: coffee (3 levels), hot water (4 levels)
- optional BRITA Intenza water filter: Improves the coffee's taste and prolongs the appliance's life

Convenience

- TFT display with interactive menu
- My Coffee: Save 8 favourite beverages with individual names and adjustable mixing ratio of milk and espresso
- Coffee outlet and milk frother height-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- Cappuccino: Prepare two cups simultaneously for all coffee and milk specialities
- Water tank removable for easy refilling (2.4 l volume)
- Early warning before water tank or bean container empty
- Flexible milk solution: Decide for yourself if you prefer connecting the provided milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

Performance

- High-value ceramic grinding unit SilentCeram Drive: Quiet premium grinder made from non-wearing ceramic
- CoffeeSensor Pro: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative milk frother
- Milk froth, warm milk and hot water separately available
- Reduced heat-up time: Fastest first cup
- Water pump with 19 bar pressure
- Separate chute for ground coffee, e.g. caffeine-free coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)

Hygiene

- Removable brewing unit: Easy and hygienic cleaning under running water
- steam blast: Fully-automatic steam cleaning of the milk system after every beverage
- Milk frother removable and dishwasher-proof

- SinglePortion Cleaning function guarantees good coffee taste and ideal hygiene: Complete emptying of all pipes after each brewing process
- Automatic rinsing program when switching off, and on
- Drip tray and coffee grounds container removable and dishwasher-proof
- Calc'n'Clean: Automatic cleaning and descaling programme
- Reminds in time of water filter change, descaling, cleaningdescaling

Miscellaneous


- Containers for water, milk and coffee beans are easily accessible but hidden behind a door, so the kitchen always looks clean
- Bean container with aroma protection lid (500 g volume)
- Illumination for keys and coffe cups
- Grinding fineness adjustable (multi-level)
- Different display languages available
- Child safety lock: Unintended brewing process not possible
- Wattage: 1600 W

Accessories


- Insulated milk containerMilk container with fresh lock-lid (0.5 l volume)
- Further included accessories: measuring spoon, connection hose for milk frother, test strip for water hardness, assembly screws
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)



Series 8, Built-In Fully Automatic Coffee Machine, Stainless steel, Removable water tank CTL636ES1



measurements in mm



Bean and water containers are removed from the front. Recommended installation height 95-145 cm. measurements in mm

