


**Series 8, domino hob, gas, 30 cm,  
Ceramic glass, Black  
PRB3A6D70M**



**The domino gas hob with FlameSelect:  
achieve perfect cooking results thanks to  
nine precisely defined power levels.**

- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.
- **Digital display:** to indicate the selected power level and residual heat for more comfort and safety.
- **Dishwasher-proof pan supports:** for a convenient cleaning in the dishwasher.
- **Continuous cast-iron pan support:** for high firmness and stability of cookware.
- **Sword knobs:** for an ergonomic control.

Product name/family: ..... Vario/Domino gas hob w control  
 Built-in / Free-standing: ..... Built-in  
 Energy input: ..... Gas  
 Total number of positions that can be used at the same time: ..... 2  
 Min. required niche size for installation (HxWxD): 45 x 270 x 490-500 mm  
 Width of the appliance: ..... 306 mm  
 Dimensions: ..... 47 x 306 x 527 mm  
 Dimensions of the packed product (HxWxD): ..... 185 x 385 x 578 mm  
 Net weight: ..... 7.1 kg  
 Gross weight: ..... 8.0 kg  
 Residual heat indicator: ..... Separate  
 Location of control panel: ..... Front panel  
 Basic surface material: ..... Ceramic glass  
 Color of surface: ..... Black, Alu, brushed  
 Color of frame: ..... Black  
 Length electrical supply cord: ..... 100.0 cm  
 Connection rating: ..... 2 W  
 Gas connection rating: ..... 4700 W  
 Fuse protection: ..... 3 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 60; 50 Hz

- HEZ298105 Simmer plate  
 HEZ298114 Small pot support  
 HEZ394301 Connecting strip



**Series 8, domino hob, gas, 30 cm,  
Ceramic glass, Black  
PRB3A6D70M**

**The domino gas hob with FlameSelect:  
achieve perfect cooking results thanks to  
nine precisely defined power levels.**

---

- PRB3A6D70M
- 30 cm, Vario/Domino gas hob w control, Ceramic glass

**Design:**

- Ceramic glass

**Comfort:**

- step valve 9 steps
- Electronic display
- sword knobs
- One-hand ignition via control knob
- Cast iron pan supports
- Pan supports dishwasher proof

**Power and size:**

- 2 PC
- 1 rapid, 1 standard burner
- High-speed burner up to 2.8 KW (depending on gas type)
- Center front: Standard burner up to 0.4 KW (depending on gas type)

**Environment+safety:**

- Full flame safety
- 2-fold residual heat indicator
- Preset of liquid gas (28-30/37mbar)

**Measurements**


- 100 cm

**Accessories**

- Natural gas nozzles (20 mbar) included


**Series 8, domino hob, gas, 30 cm,  
Ceramic glass, Black  
PRB3A6D70M**

Measurements in mm




If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)

Measurements in mm




When installing two Domino units right next to a hob, two assembly kits (HEZ394301) are required

Measurements in mm




When installing two Domino units right next to a hob, two assembly kits (HEZ394301) are required

Measurements in mm



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)

Measurements in mm  
**Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions**



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)

Cutout dimension (X) depending on the combination (see combination table)


measurements in mm  
 Domino combination options with corresponding appliance and cut-out dimensions

Width category:  
 Appliance width:


|                   | A   | B   | C   | D   | L | X |      |      |
|-------------------|-----|-----|-----|-----|---|---|------|------|
| 2x30              | 306 | 306 | -   | -   | - | - | 612  | 576  |
| 1x30, 1x40        | 306 | 396 | -   | -   | - | - | 702  | 666  |
| 1x30, 1x60        | 306 | 606 | -   | -   | - | - | 912  | 876  |
| 1x30, 1x70*       | 306 | 710 | -   | -   | - | - | 1016 | 980  |
| 1x30, 1x80        | 306 | 816 | -   | -   | - | - | 1122 | 1086 |
| 1x30, 1x90        | 306 | 916 | -   | -   | - | - | 1222 | 1186 |
| 2x40              | 396 | 396 | -   | -   | - | - | 792  | 756  |
| 1x40, 1x60        | 396 | 606 | -   | -   | - | - | 1002 | 966  |
| 1x40, 1x70*       | 396 | 710 | -   | -   | - | - | 1106 | 1070 |
| 1x40, 1x80        | 396 | 816 | -   | -   | - | - | 1212 | 1176 |
| 1x40, 1x90        | 396 | 916 | -   | -   | - | - | 1312 | 1276 |
| 3x30              | 306 | 306 | 306 | -   | - | - | 918  | 882  |
| 2x30, 1x40        | 306 | 306 | 396 | -   | - | - | 1008 | 972  |
| 2x30, 1x60        | 306 | 306 | 606 | -   | - | - | 1218 | 1182 |
| 2x30, 1x70*       | 306 | 306 | 710 | -   | - | - | 1322 | 1286 |
| 2x30, 1x80        | 306 | 306 | 816 | -   | - | - | 1428 | 1392 |
| 2x30, 1x90        | 306 | 306 | 916 | -   | - | - | 1528 | 1492 |
| 1x30, 2x40        | 306 | 396 | 396 | -   | - | - | 1098 | 1062 |
| 1x30, 1x40, 1x60  | 306 | 396 | 606 | -   | - | - | 1308 | 1272 |
| 1x30, 1x40, 1x70* | 306 | 396 | 710 | -   | - | - | 1412 | 1376 |
| 1x30, 1x40, 1x80  | 306 | 396 | 816 | -   | - | - | 1518 | 1482 |
| 1x30, 1x40, 1x90  | 306 | 396 | 916 | -   | - | - | 1618 | 1582 |
| 2x40, 1x60        | 396 | 396 | 606 | -   | - | - | 1398 | 1362 |
| 4x30              | 306 | 306 | 306 | 306 | - | - | 1224 | 1188 |
| 3x30, 1x40        | 306 | 306 | 306 | 396 | - | - | 1314 | 1278 |
| 1x30, 1x75        | 306 | 750 | -   | -   | - | - | 1056 | 1020 |
| 1x40, 1x75        | 396 | 750 | -   | -   | - | - | 1146 | 1110 |
| 2x30, 1x75        | 306 | 306 | 750 | -   | - | - | 1362 | 1326 |
| 1x30, 1x40, 1x75  | 306 | 396 | 750 | -   | - | - | 1452 | 1416 |

\* Not possible with 70 cm induction hob

Measurements in mm  
**Assembly kit (HEZ394301) for Domino**



**B:** Dependent on the cut-out depth



- \* Minimum distance from the hob cut-out to the wall
- \*\* Position of gas connection in the cut-out
- \*\*\* With fitted oven underneath, possibly more; see space requirements for the oven

measurements in mm